



# Meta-Converter

Description, application, experience

---

An easily understandable introduction to the topics of electric  
smog, resistance and well-being.



### **Impressum**

© 2018 i-like Metaphysik GmbH  
GBR-Zentrum, 9445 Rebstein, Schweiz  
[info@i-like.net](mailto:info@i-like.net)

This work and all its parts are protected by copyright. The publication of all or part of this work is desirable with the reference of this source.

Issue 08|2018

---

## Content

Harmful electric smog_____	04
Explanatory models for the effectiveness of the Converter_____	06
Measurements and evidence_____	10
5G-Mobile Converter_____	12
E-Chip_____	14
I-Chip_____	19
Questions and answers converter_____	20
Room-Converter_____	22
LED-Converter_____	26
P01-Converter_____	29
Car E-Smog Converter_____	30
Photovoltaik E-Smog Converter_____	36
InduMic-Converter_____	42
IR-Converter_____	44
Food-Chip_____	46
Water-Chip_____	50
Supplement-Converter_____	54
Cosmetic-Converter_____	58
Animal-Chip_____	62
Horse Meta-Converter_____	66
Literature/Sources_____	70



## Harmful electric smog - Utilization of radiation

The German Federal Office for the Environment (BAFU) states the following about electric smog:

«Epidemiological studies have established the fact that non-thermal radiation (electric smog, editor's note) has a significant influence on brain activity. Physiological changes in cells have also been observed.“».

This means nothing other than: **Electric smog is harmful!**

## Electromagnetic hypersensitivity is increasing

More and more people are noticing the direct impact of electromagnetic pollution on their bodies.

Ever faster pulse-giving communication devices of all kinds are particularly disturbing. Transmitters such as WiFi, satellites, telephone radio antennas and much more also influence the biology of the body. The effects of electro-magnetic scatter fields, i.e. electric smog, have been scientifically proven. In the bedroom they exist in the form of mobile phones, sockets and switches. Many sources of radiation affect our cells on a daily basis!




## Research and science have developed the meta-converter to help

A group of Swiss scientists, therapists, and health professionals, together with universities and researchers, were able to develop a magnetite-crystal mixture which was incorporated into a chip capable of correcting harmful electromagnetic scatter fields.

The meta-converter (chip) is programmed and charged by impulses sent out by a bio-resonance radiation technique which was especially developed for it. The converters use electromagnetic waves as carriers to feed people with frequencies that are optimised towards body cells. This works on the principle of bioresonance regulation.

**Conclusion:**  
With the i-like converter you may use electronic devices as often as you like. By using the chip, you vitalize radiation and transform it into vibrations optimized for your body's cells!



## Explanatory model for the effectiveness of the meta converter


The effect of the i-like meta-converter (chip) is stunning. In modern naturopathic diagnostics the effects of the i-like converters can be measured with ease. Meridian measurements, body field radiation (photons) of humans,

measurement of chakras, HRV (heart rate variability) etc. are methods which demonstrate, fast and effectively, how quickly the vitalizing effect of i-like chips can be detected.

## Meta-Converter – how it works:

Interference fields of electrical devices, transmitters and loads of all kinds are read, the interference frequencies (e-smog) are determined, and neutralised by destructive interference. In the process, it is not the electrically measurable waves that are corrected, but the information of these carrier waves.

### This is where the i-like converter comes in



## This Meta-Converter is a highly complex tool

Due to its design (geometric figures) and contents (micro-pyramidal shaped minerals as well as rechargeable magnetite crystals), the i-like converter operates as a „resonance field mirror“. The i-like converter reflects the impinging frequencies of human beings (biophotons) back to the body about 6-8 times as strongly.

All the information needed by the human body to be, remain and stay healthy is stored in its cells. Through the „response retrieved from the generated field mirror“ cells receive the frequencies necessary to self-regenerate, and thus to strengthen their vitality.

# Explanatory model for the effectiveness of the meta converter

Electrical devices with electromagnetic wave radiation activate the converter. The information on the converter is transmitted from the magnetite by the emitted electromagnetic wave. A bioresonance field is created.

Based on our observations, it became evident that the use of the converter can be beneficial to humans due to the so-called „self-field reflection effect“.

The polarity of the devices' electric smog is reversed in field direction of the electromagnetic wave, enabling the smog to transport scalar information from the magnetite crystal to the human cell.

This mechanism can be obtained by programming each individual chip on the magnetite crystals in the chip.

**This functionality is probably unique in the entire world.**



## Measurable receivers for electromagnetic pollution

J. Kirschvink of the California Institute of Technology (Caltech) in Pasadena, has tracked down, that a person has a verifiable and measurable physical receiver for electro-smog in magnetite crystals! Around 5 million magnetite crystals per 1 gram of brain cells is located in the head. There is sufficient sensitivity to prove the harmful effect of electro-smog!

# Emoto


## water crystal

The Emoto laboratory (Hado-Life) has measured the Meta-Converters energy. During the test, a glass filled with neutral water (see below, osmosis water) was vitalised with the Meta-Converter. The result after only one hour is absolutely stunning, and shows the amazing change in frequency that the Meta-Converter performs.

### Evidence and measurement

**Example:** Osmosis water was revitalized with the converter from i-like. The results are amazing

Before the application



After the application with the converter



Measurements by the Emoto laboratory (Hado Life) show what positive frequency changes can be achieved with the chip.

# Evidence and measurement

The best evidence for the effectiveness of the i-like chips are measurements conducted directly on the human body. Basic measurements are being taken according to a number of factors (HRV, bio-resonance). These base values are being compared to a second set of measurements at a later time. Between the first and the second measurement

usually lies an effective period of the meta converter, i.e. an i-like chip, of half an hour to one hour. In doing so, the subject's mobile phone is vitalised with an converter after the first measurement. Now the patient carries the phone directly on his body for half an hour. The measurable impact is usually very clear.

The data collection is performed under supervision of higher education institutions and their health centers. In addition, more than 100 advisory experts measure and verify the data in order to continuously increase the availability of information. The following higher education institutions are involved as part of quality assurance, supervision, and additional follow-up questions:

- Health campus Luzern/Berlin  
University S.E. (H+)





**Gesundheits  
Campus**

Aussenstelle für das deutschsprachige Europa der St. Elisabeth Universität

## Measurement results with a bio-resonance device

This chart shows the vegetative and central regulation, as well as the psycho-emotional state and the adaptation level. Left without converter; right with converter.



**Example: Test person (male, 46 years old) is being extensively measured before and after using the converter.**

Wednesday, 15. July 2015 11:15:12

Wednesday, 15. July 2015 11:38:05

**39%**

- 33%
- 34%
- 37%
- 43%
- 47%
- 31%
- 44%



**68%**

- 66%
- 62%
- 66%
- 69%
- 72%
- 60%
- 71%



This illustration shows the person's physical condition at a health factor of 39 % before the use of the converter on the left side, and at a health factor of 68 % with the converter on the right side.

The spline map shows the electrical activity in the brain.

Left without converter;  
right with converter.

Spline-Karte der elektrischen Aktivität des Gehirns



D = 34% (50-100%)


Spline-Karte der elektrischen Aktivität des Gehirns




D = 57% (50-100%)

The gerontological curve shows a „biological age“ of 49 years before the application and 40 years after the 15 min application of the converter (rejuvenation effect).

tatsächliches Alter: 46y      biologisches Alter: 49y



tatsächliches Alter: 46y      biologisches Alter: 40y



# 5G-Mobile Converter

For the vitalisation of electrosmog incl. 5G



5G, also known as „Fifth Generation“, is the latest generation of mobile communications. It no longer operates at 2.5 GHZ, but now at 100 GHZ, i.e. it is 40 times faster than before. In addition, the radio power was significantly increased. The new technology presents a person's cell information with many new challenges.

The potential of stray fields, which can negatively influence the scalar information,

is 50 to 100 times higher than with previous mobile radio networks.

The 5G-Mobile Converter vitalises the negative frequencies of 5G mobile networks. The converter has a higher mineral and magnetite density and requires several times longer programming time. At the same time, the 5G-Mobile Converter can be used for „normal“ E-smog vitalisation.

## Application

### What do I need to know?

Simply attach the 5G-Mobile Converter into your mobile phone and other 5G devices and let it work. Your personal consultant can provide you with a detailed application description.

**Principle:** Any 5G mobile device that effects your body for long periods on a daily basis should be vitalised! The 5G-Mobile Converter is activated by an electromagnetic wave, i.e. an electronic device.

Remove the foil from the back of the 5G-Mobile Converter and insert the converter onto the selected 5G mobile device. The adhesive is exclusively an aid. For transportable devices (especially mobile phones etc.), use an additional sticker so that the converter holds securely.

The 5G-Mobile Converter is designed exclusively for use with the 5G mobile radio. In order activate all homes, offices, workplaces, classrooms etc., it is advisable to use the Room-Converter in combination. The 5G-Mobile Converter should be protected against excessive heat (above 60-70 degrees celsius). It is washable.

The 5G-Mobile Converter is suitable for everything that has to do with 5G mobile radio.

- mobile phones of all kinds
- virtual reality glasses
- smart grid
- autonomous mobility
- 5G sensors and actuators
- and many additional devices



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

# E-Chip

For the vitalising of electro-smog



Nature emits electrical waves and magnetism. Out of this, humans create electromagnetism, with a great deal of electro-smog. That is unpleasant for our body's cells.

Many people are electrosensitive. However, many first notice the influences too late, perhaps not until the time when problems arise. The effects of electro-smog are sufficiently scientifically documented. Whether in the form of satellite

digital channel, sockets or switches in the bedroom. Every day, electro-smog radiates out of many sources onto our cell bodies!

This is remedied by creating bioresonance. In this way, electro-smog vitalises and the user is supplied with a cell-energy supercharging. The positive effects are known from medicine and are well scientifically grounded.

## Application

**What do I need to know?**

NOTHING! The chip can be attached on the PC, the wireless router, the printer, the plug ... just stick it on and let it take effect. You can get a detailed application description from your advisor.

**Principle:** Any type of source device radiating electric smog, which the human body is subjected to for a longer period of time each day, should be revitalized. Simply wearing the chip on your body alone is not helpful. There is no protection, rather, the radiating device acts as some kind of bio-resonance device. The e-chip is designed to be exclusively used with electrical devices or electronics.

In order activate all homes, offices, workplaces, classrooms etc., it is advisable to use the Room-Converter. The E-Chip must be protected from excessive heat (above 60-70 degrees Celsius). The E-Chip is washable.

Peel the plastic foil off the back side of the E-Chip and stick it onto the desired electrical device. The adhesive is only an aid. For portable devices use an additional sticker so that the converter holds securely.

The E-Chip is suitable for everything that has to do with electricity.

- adults and children
- kinds baby monitors
- screens and TVs
- computers, tablets and printers
- WLAN-routers
- sockets and switches
- light sources of all kinds
- kitchen equipment
- and many additional devices



**i-like Meta-Converters are:**

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

Product/Device	Placement	
<p><b>Office</b></p>	<p>To achieve a harmonious ambiance and an optimal bio-resonance field in an office setting, several chips are needed. Each device giving off radiation over an extended period of time must be revitalized. Usually, those devices are: 1-2 PCs, notebook(s), telephone(s), printers and heat radiators.</p> <p>The Room Converter is an alternative!</p>	
<p><b>Baby monitor</b></p>	<p>See mobile devices.</p>	
<p><b>Printer</b></p>	<p>Place chip as close as possible to the power supply (current feed) and, if possible, in ray-direction towards the work place next to the printer.</p>	
<p><b>Wireless devices of all kinds</b></p>	<p>The radiation of wireless devices is particularly strong! Particularly strong radiation (professional equipment) 2 e-chips, simple wireless devices 1 e-chip on the side facing the ear; if this is not possible (device type) then place the chip on the back side in the center of the device.</p>	
<p><b>WIFI router</b></p>	<p>Place chip directly onto the front side or the top of the router.</p>	
<p><b>Heating</b></p>	<p>Radiators/heaters can generate a strong electromagnetic field, especially electric storage heaters. If the heating unit is located closer than 3 meters to the person, place the e-chip onto the heating unit so that it faces the person directly. For floor heating, place an e-chip in each heater hose.</p> <p>The Room-Converter is an alternative!</p>	

Product/Device	Placement	
<p><b>Coffee machine</b></p>	<p>Close to power supply (power source).</p>	
<p><b>Air conditioning/ fans</b></p>	<p>Place chip as close as possible to the current feed. If that is not possible (module unit), then place it on front side facing the person.</p>	
<p><b>Stove</b></p>	<p>If possible, place 2 e-chips each on the front and the back side of the hob (not on the hob itself, but at hip level on the edge, vertically). For best results, place 2 e-chips to close in the hob (front/back). If this is not possible, then place 2 e-chips on the left and right corner facing the person cooking.</p> <p><b>Warning:</b> induction stoves cannot be vitalised with e-smog chips. We recommend using the InduMic converter if there is no other cooking option.</p>	
<p><b>Kitchen equipment</b></p>	<p>For all electrically powered devices and devices that are being used for longer periods of time (15+ min) during cooking, place chips directly onto the device; the exact spot is not important – choose according to best hold.</p>	
<p><b>Speakers</b></p>	<p>Place chip close to loudspeaker magnets.</p>	
<p><b>Lamp</b></p>	<p>Place chip at center of the power source (e.g. lamp socket). Pay attention to heat! If fixation close to power supply is not possible, then place chip on power supply unit but no further away than 20 cm (lamp shade, cover, etc. Metal increases effect!). LED and energy-saving lightbulbs should be optimally vitalised with the LED-Converter.</p>	

Product/Device	Placement	
<b>Motorcycle</b>	Place chip directly onto the battery; if lots of electronics are installed in the dashboard, place an additional chip onto dashboard.	
<b>PC</b>	Place chip as close as possible to the current feed (power supply). Thus, in most cases not on front side of PC, but usually on the lower rear side (where the cable is plugged in).	
<b>Radio alarm clock</b> (Very important in the bedroom)	Place chip in viewing direction onto the alarm clock.	
<b>Socket outlets</b>	Place one e-chip directly onto each socket. Current flows even if no device is plugged in and when current is not used (electric field voltage)  The Room Converter is an alternative!	
<b>Telephone/radio/cable</b>	Because the mobile phone is placed directly on the body (head, ear), it does not matter where on the phone the chip is placed. The front side is ideal (facing the ear). For wired tabletop devices, place chip onto main unit (not on the handset).	

# I-Chip

For the vitalising and optimising



Scientists in Switzerland, together with scientists and experts from physics, health and medicine have succeeded to develop a magnetitemineral mix and incorporate this into a Chip. This is charged thanks to the momentum from by a self-developed irradiation technology. The I-Chip is a unique converter which, thanks to i-like technology at the level of scalar waves, can provide the body with different frequencies. For full functionality, the I-Chip requires an electromagnetic wave. Placing the I-Chip on electronic devices makes it particularly

suitable. Consequently, the combination of 5G-Mobile Converter or E-Chip and I-Chip is ideal. Please refer to the E-Chip application table for exact placement options. For more detailed information on the function of the I-Chip, please contact your personal consultant.

## i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



# Questions and answers about the i-like converter

**Question:** How does the 5G-Mobile Converter influence the frequency of a mobile phone? So that it still works?

**Answer:** The 5G-Mobile Converter does not affect the operating frequencies of the mobile phone. The effects achieved by the converter are based on scalar waves which are a by-product of electromagnetic waves. The theory of scalar waves includes models that affect the DNA and health of human beings. Thus, the effectiveness of the converter on health can be observed through both theoretic models as well as practical results. If you apply measuring methods looking for electromagnetic waves, you are on the wrong track.

**Question:** Why does my ear or even half of my head get warm when I use a mobile phone?

**Answer:** The heat development of mobile phones comes from the power consumption and the conversion of current in the battery to usable alternating current in the device. This has nothing to do with e-smog. A converter cannot change this heat. But it's not really harmful either.

**Question:** How do I know that the converter works?

**Answer:** Both, explanatory model as well as the feedback from users demonstrate its special effects. We have selected the following examples: Improvement of perception and concentration; better/faster wound healing, increase and optimization of performance ability; improvement of sleep quality, etc. The effects can also be seen when looking at the thousands of measurements with HRV and bio-resonance.

**Question:** Does the sleeve or cover of the device diminish its effectiveness?

**Answer:** No, the effect remains exactly the same.

**Question:** Can I break the chip up into pieces and place them onto several different devices?

**Answer:** No. The effectiveness is only guaranteed if the chip remains in its geometrical form; this must not be changed.

**Question:** I have a pacemaker. Does the chip have an influence on it?

**Answer:** No. Not at all.

**Question:** What is the difference between this chip and traditional esoteric chips?

**Answer:** Commercially available „esoteric“ chips are plastic plates coated with minerals (usually simple silicon). This is profitable; however, a „healing stone“ on a necklace would have the same effect. In addition to the many pyramid-shaped minerals, which the converter is made of, the converter’s magnetite crystals are also programmed and charged. Thus, it receives a direct effect. This technology is totally new and, up until now, has only been used in therapy.

**Question:** Is wearing the chip on my body enough protection?

**Answer:** No. This would be the „esoteric approach“. The e-converter transforms the sender – the device radiating e-smog – into a bio-resonance device. This means, the chip must be placed on the device itself. On the body, the chip would function just like a conventional chip.



**Question:** Can I just place a chip onto the main power supply in the house and no longer worry about it?

**Answer:** Unfortunately not. Each device affecting the body for a long period of time radiates its own e-smog. Therefore, all devices which actively influence our body (perimeter of 1-3m, constant influence) have to be revitalized with the chip. The alternative is the room-converter.

**Question:** Are food chips, animal chips, and e-chip interchangeable?


**Answer:** No. The programming on the chips is completely different. None of the chips would cause harm (they never do) but the effect would not be there.

**Question:** After removing the chip, the adhesive does not stick anymore. What can I do?

**Answer:** The adhesive is only a fixation aid. Simply use a new, normal double-sided adhesive and cover the converter with the associated label.

# Room-Converter

For vitalisation of electromagnetic smog inside rooms



To activate electromagnetic smog in all rooms, it is best to use the Room Converter. This is suitable for apartments and family homes to large buildings such as office buildings, industrial buildings,

etc. For use in large rooms, several Room Converters are connected to a single bio-resonance system.

## Application

When the i-like technology creates a counterfrequency to the electromagnetic smog, many beneficial effects result. The counterregulation of e-smog significantly reduces the typical effects which are scientifically proven to be negative.

### Typical improvements include:

- Memory performance can be improved
- Response time (performance, vitality) can be improved
- Decisions can be made correctly more often
- Stress is reduced, creating better performance and better teamwork

Request detailed information about the Room Converter.

Certified installation monitored by a university is also available for commercial applications. Quality control is carried out by the Institute:

The Room Converter is suitable for all types of rooms.

- at home
- office
- workplace
- educational institutes
- healthcare institutes
- shops/commercial premises
- hotels
- restaurants
- and other premises



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.



**Gesundheits  
Campus**

Aussenstelle für das deutschsprachige Europa der St. Elisabeth Universität

# Room-Converter

## Installation

### Basics of installation:

- The effective radius of a Room Converter is max. 20 metres.
- Building materials (concrete, metal, etc.) cannot shrink the effective radius. (HF (1.\*)) High frequency devices reduce the effective radius.
- By attaching an E-Chip, 5G-Mobile Converter or LED-Converter to each high frequency device, it is no longer able to disturb the effective radius of the Room Converter. If this is not carried out, 0.5 metres should be deducted from the effective radius for each high frequency device.
- In a serious case (no HF vitalisation), the effective radius of the Room Converter should be shrunk to a minimum size of 10 m (5m radius).
- Each Room Converter MUST be connected to the mains electricity (220V) and a device MUST be plugged into each Room Converter. This device must run the full function of the Room Converter on a permanent basis! Suitable devices include wireless routers, TVs, digital phones, chargers of all kinds (current also flows stream if it is not charged (standby mode)), etc. It is important, however, that the devices are not disconnected, but a continuous current flow is recorded! The QUANTITY of the current is absolutely irrelevant.


### 1. \*Typical HF devices/transmitters which can be found in indoor rooms: (not exhaustive)

- Mobile phone, smartphone, tablets
- Cordless telephone
- Wireless modem, and all wireless devices such as printers, speakers, etc.
- Computer (natural radiation LED screens, WiFi, Bluetooth, wireless mouse, wireless keyboard)
- All Bluetooth transmitter and receiver sources (many devices)
- Game consoles with radio
- Wireless thermometer/radio station

In addition, the following devices should be vitalised, for an optimum effective radius of the Room Converter

- LED and energy saving lightbulbs
- Powerline adapter
- AC adapter, office and household appliances with digital electronics of all kinds!


## Without Room-Converter:



Devices which emit e-smog



## With Room-Converter:



Room Converter and effective radius



HF devices can additionally be vitalised with an E-Chip, 5G-Mobile Converter or LED-Converter

# LED-Converter

For the vitalising of LED and energy-saving lightbulbs



LED bulbs are indeed electric lamps, however, they produce their light by flash (strobe technology). They count as energy-saving light devices exactly like energy-saving lightbulbs.

A lamp can be lit for a much longer period of time using this new technology, and it is also more energy efficient. However, these LED lamps emit an active radio frequency which, similar to mobile phones and WiFi, can negatively impact the

body through non-thermal electromagnetic smog affecting body cells. More and more electronic devices make use of this new technology. Whether in the form of computer screens, lamps or laptops. Many electro-smog sources emit smog on our body cells daily!

The LED-Converters can correct the negative frequencies (e-smog) emitted by LEDs and energy-saving light bulbs.

## Application

### What do I need to know?

Simply stick the Converter to the PC screen, next to the lamp (max. 30 cm. away from the light source), or the laptop etc., and leave it to act. You can get a detailed application description from your advisor.

**Principle:** Each LED or energy-saving lamp light source which has an effect on your body for several hours during your daily routine, should be vitalised.

An LED-Converter vitalises all LED and energy-saving lamps as well as LED screens which are within a radius of max. 30 cm of the converter. If two Converters are mounted at a distance of max. 3 metres each, all appliances, lamps, screens within their alignment are activated. That is, two Converters can vitalise multiple LED's within a maximum of 3m visual contact to one another! The LED-Converter should be protected against excessive heat (above 60-70 degrees celsius). This means that the converter should not be mounted directly on the lamp, but in the area close to it.

For the vitalisation of areas containing a lot of LEDs, such as large offices, factories, etc., combining the Room Converter with the LED-Converter is ideal.

The LED Converter is suitable for all kinds of LED and energy-saving lightbulbs.

- computer screens
- televisions
- laptops and tablets
- displays
- light sources of all kinds
- digital displays
- navigation systems
- and many other devices



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made




It has a service life of at least 30 years.

Product/Device	Placement	
<b>Screens (PC)</b>	On the front of the screen, centered on the bottom of frame.	
<b>Tablets</b>	If enough space is available, place chip on the lower edge of the screen; otherwise, place on back side, in the center of the tablet.	
<b>TV device</b>	Place chip on the front of the TV in raydirection towards the viewer. Usually, underneath the frame. For best results, place two chips diagonally (upper right/lower left corner (or vice versa)).	
<b>LED Lamp</b>	Centre of the power source (e.g. lamp holder). Caution with heat! If it is not possible to attach the converter close to the power source, then it should be attached a maximum of 30 cm from the power source (lamp shade, cover, etc. Metal enhances the effect!).	
<b>Laptop</b>	Place chip on left or right side on lower frame (near the power connector). For best results, place (if possible, space) directly at the bottom of the screen; otherwise, place directly onto the device.	
<b>LED tubes</b>	A converter is mounted at each end of the tube (max. 30 cm distance to the lamp)	
<b>LED spots</b>	Place a Converter next to every two or three LED spots. They should be a maximum of 30 cm away from the light source.	

# P01-Converter

For the vitalising and optimising



Scientists from Switzerland, in cooperation with researchers and experts from physics, health and medicine, have succeeded in developing a magnetite-mineral mixture and incorporating it into a converter. This is charged by pulses from a specially developed irradiation technique.

The P01 converter can provide the body with different frequencies at the level of scalar waves, thanks to i-like technology.

For more detailed information on the function and use of the converter, please contact your personal consultant.

## i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



# Car E-Smog Converter

For the vitalising of electro-smog in all types of vehicles



Do you drive a modern car? Isn't it great how many electronic appliances there are today? Cruise control, parking assistance, navigation and many other systems are widely available. Things are developing: hybrid technology, electric vehicles, many electronic components in the engine and more actuators in the car help to bring about more efficiency. And now we can begin to talk about all the features which make life more convenient INSIDE the car. Just as electric

seats, entertainment system, electric windows and much more. And EVERYTHING produces e-smog. Thanks to the Faraday shield, everything which is in and on the vehicle producing electromagnetic smog, is trapped inside. In this way, the e-smog turns into a stronger, more body influencing emanation.

The Car E-Smog Converter directs the e-smog into a bioresonance wave.

## Application

### What do I need to know?

The Car E-smog converter can be laid, placed, affixed or also screwed on. It is important, that its geometric shape is not altered (do not cut off any part of it). The Converters are not sensitive to temperature. The Car E-Smog Converter is suitable for all types of vehicles.

### Typical reactions could be:

- Increase of cognitive abilities (concentration, reaction)
- Greater relaxation whilst driving
- Lower fuel consumption thanks to a relaxed driving style
- Lower risk of accident due to better concentration and concentration span
- Reduction of headaches and other stress-related pains
- Reclaiming your quality of life thanks to the bioresonance-vitalizing in your vehicle
- Reduction of stress-induced hyperacidity
- Significant performance improvement with the possibility of being able to drive much further without getting tired

Vitalise your car with the Car E-Smog Converter from i-like. For a pleasant and relaxing ride. Learn more in our detailed Car E-Smog Converter brochure.

The Car E-Smog Converter is suitable for all types of vehicles.

- cars: motor, hybrids, electric
- truck cabin,
- tractors and trains
- construction vehicle
- aeroplane cockpit
- mobile homes
- bus and coaches
- and many more



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made




It has a service life of at least 30 years.

# Car E-Smog Converter - how it works!

Car E-Smog Converters are used in cars, trucks, construction equipment, tractors, trains as well as aircraft. Hundreds of measurements have already been taken in various vehicles. As a representative sample of measurement, measurements were taken from a driver with a modern vehicle. The driver was measured BEFORE the vehicle was furnished with a Converter and he had already driven an hour in order to be measured. The first measurement took place therefore one hour after a car journey without a Converter. For the „after“, the vehicle was equipped with the three Converters. The driver then had to complete a drive of around 45 minutes. Following this the second set of measurements were taken.

## Evidence and measurement:

Measurement-test person, male, 52 years old, normal vehicle with combustion engine, year 2013



Health volume = regeneration level (self-regulation)


Left before the activation of the vehicle: Health Volume 9%

Right after the activation of the vehicle, after 45 min journey: Health volume 64%

9% before is an exceptionally bad health value. The value after the ride, 64%, is in comparison very good and is well above the norm for a man of 52.

### Autocorrelation and spline chart

On the left you can see the autocorrelation as well as the spline chart (right brain) and thus the stress-level before (left) and after (right) of the activation of the vehicle with the i-like Converter.







### Biological Age

The measuring of the mitochondrial metabolism, that is the energy metabolism, coupled with over a hundred other measurements, shows us the biological age, in comparison to the actual age.

- Above: before the revitalisation
- Below: after the revitalisation

- Blue shows the calculated age: above and below
- Above BEFORE the revitalization shows that biological age of 64 years (instead of the actual 52 years)
- Below AFTER the revitalization and the 45 minutes' car journey is the biological cell tension arrived at 43 years. From 64 to 43 years, that's 21 years „rejuvenation effect“ in the cellular metabolism thanks to one car journey with the i-like Car E-Smog Converter!



Product/Device	Placement	Placement
<p><b>Motor cars, hybrids, electric cars</b></p>	<p>For the revitalisation of your vehicle, a normal car requires 3 Car E-Smog Converters (1 set).</p> <ul style="list-style-type: none"> <li>• Red forward left (door area, directly next to the driver) - maximum distance between the Converter and driver should be no more than 1.5 m.</li> <li>• Blue forward right (door area, directly next to the passenger) - maximum distance between the Converter and the driver should be no more than 2.5 m.</li> <li>• Green at the back (in the boot or, when there is no boot, in the middle of the back seats - where possible at a distance of around 3 m from the driver - nearer is also fine, further away is however not optimal).</li> </ul>	
<p><b>truck cabin, trains, tractors and construction vehicles</b></p> <p><b>aeroplane cockpit</b></p>	<p>For a revitalisation of the driver's cab you will also need the normal 3 Car E-Smog Converters.</p> <ul style="list-style-type: none"> <li>• Red front left (door area, right next to driver) – it is important when in a large vehicle (e.g. combine harvester, bus, truck, locomotive) that the maximum distance between Converter and driver is 1.5 m.</li> <li>• Blue front right (door area, next to passenger) – it is important when in a large vehicle (combine harvesters, bus, truck, locomotive) that the maximum distance between Converter and driver is 2.5 m.</li> <li>• Green to the rear (in the middle of the back seats), if not possible, simply place</li> </ul>	
<p><b>coaches, train carriages, aeroplanes, mobile homes and many more.</b></p>	<p>For the revitalisation of a vehicle in which a number of people are transported simultaneously, use 3 Car E-Smog Converter sets. Through quantum entanglement, the individual Converters connect with each other. As a result of this system a complete and connected bio-resonance field comes into play.</p> <p>The Converters can also be mounted under seats or on the roof (inside the vehicle).</p>	



## Experience:

### **B.F. – Austria**

The concentration in sports car driving is crucial to the outcome. As a result of the action of the Converter, my attention span is clearly improved and our performance in a one-hour race noticeably better.

### **M.G. – Switzerland**

After a hard day in Hamburg, finishing my speech at 10pm, I decided to drive a short stretch of my journey home to Switzerland. In the end, I was home by 5am. That was not my plan, but with the new Car E-Smog Converters in the car I felt extremely fit and continued easily through the night. If I had even a single sign of fatigue, I would have found a hotel. Incredible.

### **B.S. – Germany**

When driving, I get tired very quickly. I have to stop after an hour as a result. This is the case even though I have a brand new, very comfortable car with many helpful electronic devices. I was surprised after the activation of the electronic smog on the advice of Dr. Gruber. I did not have much faith and I was prepared for 4-5 stops during my next trip from Stuttgart to Berlin. However, I only had to stop once to find a toilet, otherwise I went the entire distance in one go, around 7 hours, with no problems at all. For me a clear proof of effectiveness. I would not recommend that anyone drives for 7 hours straight but, with these small wheel-like devices, it was possible. I am delighted.

# Photovoltaik E-Smog Converter

For the vitalising of photovoltaic electric smog



The electric smog of a system originates directly at the inverter. High levels of e-smog originate where “harmless” direct current is commutated into alternating current, i.e. in the inverter. Due to the man-made change, the transformation of direct current into alternating current creates a stray field which impacts the body cells of humans, animals and even plants and food items. In natural medicine and bioresonance therapy electric smog has been newly defined

as a cell information dysfunction.

This means that electrical and magnetic fields interfere with body cells. For two decades, this technology has been researched and now it is finally part of everyday practice.

With the i-like converter electric smog interference frequencies can be vitalized. In other words, negative impacts are being neutralized.

## Application

### What do I need to know?

The photovoltaic e-smog converter includes six single high-qualitatively integrated converters which were programmed individually and which together achieve their effect. The chips are incorporated in a massive disk what further increases their effectiveness. Sturdy, practical and easy to handle.

**Principle:** The negative effects of photovoltaic systems on humans and animals have been measured within a radius of 15 m to 50 m of the system. This means that a house with one or more inverters installed in or on the house is subject to a high level of electric smog. Partially, the effect is significant.

Use the electric smog of your system to vitalize the frequency by utilizing the worldwide unique i-like technology. This neutralizes interference frequencies and transforms the inverter into a bioresonance radiation source. Convert your photovoltaic system into a bioresonance system!

The photovoltaic e-smog converter is suitable for photovoltaic systems installed on single-family homes, barns, office or school buildings, etc.

- The photovoltaic e-smog converter is directly connected to the inverter in the photovoltaic system.
- Each inverter requires its own photovoltaic e-smog converter.



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

# Photovoltaik Converter - how it works!

Applying bioresonance and HRV measuring methods, the electric smog of a photovoltaic inverter can be measured at a distance of up to 50m. The effect on living beings within this 50 m radius (people, animals, plants) is rather invasive. By vitalizing the frequency to a bioresonance wave, the cell frequency of living beings is optimized. Self-regulation is activated.

## Test evidence and measurements:



The first measurement was taken before installing the i-like photovoltaic converter on the system's inverter.

The second measurement was taken 30-45 minutes after the installation of the converter.


### Measurement Part 1: Health measurement:

General state of health (Health). The mixed probability calculation of all relevant data of the overview measurement is being formulated. This shows a general tendency of potentials. Red indicates deficiency signs. Green indicates vital measurement results. Blue indicates the statistical mean value of the specified age (date of birth).

Individual 1, male, born in 1961.  
Monday, February 22nd, 2016  
Health measurement, base point at 9% shows significant deficiency signs and a high stress level. 30 minutes after the activation with the photovoltaic converter, the level is already above normal level.



Individual 2, female, born in 1964.  
Monday, February 22nd, 2016  
Health measurement, base with 47% slightly above average (statistical 36%). 45 minutes after the activation with the photovoltaic converter, the level has risen again to an almost ideal 75%.




**Measurement Part 2: Four sections:**


A - Adaptation level (adaptability of the body/resilience measurement), B - Vegetative and C - Central control systems, D - Psycho-emotional status (stress level). Evaluation: the higher the measured data, the more stable the condition.

Individual 1, male, born in 1961. Monday, February 22nd, 2016  
4-fields measurement, base point is continuously very weak. After the activation with the photovoltaic converter a good, normal level has been adapted.

**A-D**  
9%  
7%  
9%  
12%




**A-D**  
39%  
41%  
45%  
52%




Individual 2, female, born in 1964. Monday, February 22nd, 2016  
4-fields measurement base point level normal, psycho-emotional status shows stress. 45 minutes after activation with the photovoltaic converter, better levels in all areas have been detected. Vegetative regulation (autonomous control of body functions) at the maximum, stress levels significantly more stable.

**A-D**  
48%  
62%  
44%  
32%



**A-D**  
64%  
100%  
64%  
72%



Measurement: - Photovoltaic system in a private house.  
- Performance photovoltaic: PNom = 14.0 kW  
- Measured with "IMAGO AurUm" Prof. Dr. J.S. But

Product/Device	Placement	
<p><b>Photovoltaic system.</b></p>	<p>The photovoltaic e-smog converter is directly connected to the inverter in the photovoltaic system.</p> <p>The converter can be affixed or just placed. It is important, that its geometric shape is not altered (do not cut off any part of it).</p> <p>For larger photovoltaic systems with several inverters, a photovoltaic E-Smog converter is required for each inverter.</p>	

## Experience with the Photovoltaik E-Smog Converter:

### A.B. – Switzerland


For years, animals such as birds, mice, and even insects have avoided our cowshed. This is not normal and not natural. It started precisely at the time that our solar energy system was installed. Since the 8 inverters in the barn have been fitted with the Converters, sparrows can suddenly be found again in the barn. This is amazing, and a good sign if you ask me. I am hoping that my barn animals will benefit from this, because ever since installing the unit on the roof we have had continual instances of animals getting sick. I'm glad that there's a solution now.

### R.S. – Switzerland

I have suffered from bad migraines for 3 years. We have had a solar energy system on our house for a good 4 years. Then Dr. Gruber suggested that we equip our solar energy system with the Converters. Since I was allowed to participate in this test (February 2016) I have had no migraines at all. Incredible.

### F.H. – Germany

I always used to feel tired and exhausted at home. Ever since applying the Converters to our system I have been able to feel enormous improvements.



# InduMic-Converter

For vitalising induction and microwave e-smog



Electromagnetic induction (also known as Faraday induction, or induction for short) is the generation of an electric field when the magnetic flux density changes.

This process is being used more and more in our everyday lives. Whether in the form of microwaves, induction ovens (open microwaves) or other devices. This speeds up the cooking process considerably.

The InduMic converter converts the interfering frequencies of inductors. Through the frequency regulation, the disturbing information is vitalised to the outside by bioresonance.

The InduMic converter also contains important information on food so that the food that is prepared with induction at least contains „substance“ again.

## Application

### What do I need to know?

For optimum vitalisation, attach the InduMic converter to the edge of the induction hob or on the outside of the microwave oven and let it work for a lengthy period of time.

**Principle:** All induction systems that have a direct influence on the human body should be vitalised.

Add the InduMic converter to the oven or microwave or stick it on. The distance from the converter to the oven or microwave must not exceed 30 cm. Nevertheless, be careful; the converter should not become hot. It can also be mounted on the underside, e.g. on the underside of the edge of the hob or in a drawer underneath. 1 InduMic converter regulates induction stoves or microwaves up to and including max. 1 square metre with max. 1 metre in length. This means that for stoves that are, e.g. 1.5 m long and 0.5 m wide there is only 0.75 sqm, but they are more than 1 m in length. Therefore, in such a case, two InduMic converters would have to be installed. Usually, 1 converter is sufficient for private households. In gastronomy, you often need several - depending on the induction area(s).

The InduMic-Converter is suitable for all types of induction stoves and microwaves.

- induction stove
- induction hob
- microwave
- microwave oven
- gastronomy
- and more



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

# IR-Converter

For the vitalising of infrared heating systems



Infrared heaters operate on the principle of heat wave distribution, i.e. electrical energy is converted directly into pure infrared radioactive energy.

That means; Infrared heating systems heat our body cells using infrared C radiation (electromagnetic waves). During this process, non-thermal electromagnetic smog is produced.

Infrared lamps are not only used for the targeted heating of a room, but also for heat treatments for physical ailments, in restaurants and in the spa.

The IR Converter vitalises the electromagnetic pollution of the heating system to a bio-resonance radiation and can thus enable a frequency regulation.

## Application

### What do I need to know?

For optimal vitalisation, attach the IR Converter to infrared heating plates, infrared cabins, infrared lamps, and other infrared heating systems to install, and apply it over time.

**Principle:** All infrared heating systems which have a direct impact on the human body, should be vitalised.

To vitalise e-smog from infrared heating systems, you need two Converters which have to be attached so that they are diagonally at a maximum of 3 metres distance from each other. The respective IR Converter should not be mounted further than 30 cm away from the devices which need to be vitalised. With this technique (2 chips - distance 3 metres), you can activate one or more heating plates simultaneously. (Activates all heating systems which are located between these two converters).

The IR Converter should be protected against excessive heat (above 60-70 degrees celsius). The Converter should therefore not be attached directly to the warming element. The outer or rear part of the respective infrared system is better suited for this purpose.

The IR-Converter is suitable for all types of infrared heating system.

- infrared cabins
- infrared saunas
- infrared lamps
- infrared heating plates
- infrared heaters
- and more



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

# Food-Chip

For the vitalising of food



Food should contain LIFEGIVING nutrients. In natural medicine, life means a balance of Yin and Yang with each other. Industrially produced food is often without life, without vitality. In addition, today even actual foods are sprayed with so many materials, irradiated, preserved and otherwise altered so that they are deprived of their naturalness and their life energy!

With the Food-Chip from i-like you can demonstrably vitalise food, activate your

water molecules and balance negative information from fungicides, anti-bacterials, anti-parasite and other „anti“ agents. Everything which makes a food longer lasting, more beautifully coloured, more intensively flavoured and changed in whatever other way, so that the consumer is more likely to go shopping, will, as a consequence, negatively affect the life-giving properties of the food.

With the Food-Chip you can balance out this negativity!

## Application

### What do I need to know?

Place your Food Chip in the fridge (min. 1, possibly 2-3 units), in the bread bin, 2-3 in the food cupboard, in the wine cellar, under the oil and vinegar bottles and leave to work for a minimum of 8 hours. Continue to use the chip on an ongoing basis

**Principle:** The aim of the food chips is a) to extend the shelf life of the b) add more vitality (chi) and c) significantly improve the taste. In addition, the food chip can help reduce pests attracted by rot (fruit flies, moths, etc.)

The food chip's operating perimeter is 30-60 cm. It can either be fixated with glue, or be left in its packaging for the use in multiple locations.

The food chip must be protected from excessive heat (above 60-70 degrees Celsius). This means, do not place the food chip directly onto a frying pan, water heater, grill, etc. The chip is washable.

Metal increases the effectiveness (can be placed underneath a metal tray).

The Food-Chip is suitable for everything that you eat.

- in the fridge
- in the bread basket
- in the food cupboard
- under the wine bottles
- under the fruit bowl
- under oil and vinegar
- next to the spices
- in the storeroom
- in your lunchbox
- under the coffee beans
- and many more



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

Product/Device	Placement	
<b>Bread basket</b>	Place chip underneath the bread basket or inside the bread compartment.	
<b>Vinegar/Oil</b>	Place 1-2 chips in storage area of these food products.	
<b>Fruit bowl</b>	Place chip underneath the fruit bowl or next to the fruit. You can place the chip also underneath metal bowls – metal even increases the effect.	
<b>Spices</b>	Spices have the highest Qi (energy) of all food. Place the chips into the spice cupboard spacing them 20-30 cm.	
<b>Refrigerator</b>	Place one or more chips into the refrigerator. Comply with the 30-60 cm rule; place 2 or more chips according to this distance (more chips side by side do not enhance the effect!).  Ideally, place the chip onto the interior side, in the center of the refrigerator door. For larger refrigerators use 2-3 chips.	
<b>Pantry/ Cabinet</b>	One chip per shelf or per two shelves.	
<b>Lunch box, mobile provisioning</b>	Whether for adults, but especially for children (lunch box) – place 1 chip into the box (washable). In the car, place 1-2 food chips onto areas where food products and drinks are transported (on long trips).	

Product/Device	Placement	
<b>Pantry / basement</b>	In the pantry, place one chip every 50 cm in order to optimize shelf life and for the revitalization effect.	
<b>Wine</b>	Place chip for 30 min underneath a wine bottle to enhance flavor. In the wine rack, place one chip every 30-50 cm to achieve long term enhancement of flavor.	

## Experience:

### L.S. – Switzerland

We did some testing. We filled up two glasses from one carton of milk. We placed one of the glasses on an converter about 10m away from us. The second glass remained with us. Under the same conditions, without cooling, we left both glasses sit under supervision

and then measured the content in the laboratory (for acid in milk). The milk without the chip started to develop a sour smell after 8 hours – on the next day, it had completely turned. The second glass of milk with the chip was still drinkable after 30 hours, and developed a sour smell only after approximately 36 hours. The difference is unbelievable and cannot be explained scientifically!

### R.A. – Switzerland

I am a gourmet and make my own high-quality food products using premium wines, oils, and balsamic vinegars. I have to admit that I cannot tell the difference between a cheap balsamic vinegar, which was revitalized with the chip, and a premium balsamic vinegar.

### A.H. – Austria

We bought wine in the south of France. When we arrived at home, the wine was not drinkable. It had a bad sour taste so that it was not even good for cooking. Before getting rid of the wine, we placed it onto a food chip just to see what would happen, if anything. We tried the wine the following day, and I have to say, it is one of the best tasting wines I have ever had. I am totally flabbergasted!

### A.H. – Austria

I suffer from a really bad food allergy. I react particularly severely to grapes which have been treated with chemical sprays. Only after washing them with boiling hot water I am able to eat them – and even then, I can only eat about 4-5 grapes before getting an allergic reaction. You can probably imagine how „boiled grapes“ look like. Now, I rinse my grapes with cold water, place them on the food chip and suddenly I'm able to eat a bunch of grapes at once without any reaction. I am totally thrilled!

# Water-Chip

For the vitalising of water



Spring water is vital and energetic and has a particularly soft and mild taste.

Through environmental influences, pollution or disinfection, water often loses its positive properties. More and more substances like pesticides, nitrates, hormones and also many medical drugs in higher concentrations get into our drinking water. The water loses its liveliness and goes limp.

Thanks to the „Water-Chip“, water mole-

cules are positively aligned. This creates new, easily flowing information (Gu Qi = food energy) in water.

The result is a very harmoniously informed water. The redox potential for water (antioxidants) is significantly improved. Since the human body consists of 70% water, a harmonious and well-informed water is required for vitality and a feeling of well-being.

## Application

### What do I need to know?

Glue the Water-Chip to your water bottle, water purifier and all kinds of water containers and leave for a minimum of 30 minutes. Ideally, allow activation to take effect over 24 hours (drinking water storage tank). Use the Chip for the duration.

**Principal:** Water is probably one of the largest storsers of information the world has ever seen. From the day it emerges from the source, it begins to absorb and save information.

The water chip's operating perimeter is 30-50 cm. It can be used in various situations, attached in the container or glued onto the object. The Water-Chip must be protected from excessive heat (above 50 degrees Celsius). This means that you should not place the Water-Chip directly to a water heater etc.

The Chip is washable. Its effectiveness is further reinforced by metal (it can therefore also be attached to metal containers, etc). Ideally, leave the Water-Chip to work on a water container for 24 hours. This means that the redox potential (antioxidation) is perfected.

The Water-Chip is suitable for everything to do with liquids.

- on the water purifier
- in the beverage store
- under the water jug
- on the sports bottle
- on the kettle
- on the coffee machine
- under the wine bottle
- under the teapot
- on the cup holder (in the car)
- under the watering can
- and many more



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

Product/Device	Placement	
<b>Bottle of Water</b>	Place chip for 30 min underneath a water bottle for 30 minutes to vitalize it and enhance its flavor.	
<b>Water treatment</b>	Place chip directly onto the water container and let the chip work permanently. Depending to size 2 chips are required. Operating perimeter is 30-50 cm.	
<b>Drink stock</b>	In the pantry, place one chip every 30-50 cm in order to optimize the water.	
<b>Glass-holder</b>	Fasten chip directly on glass-holder ( for example in car), for an optimally vitalized drink.	
<b>All kinds of water containers</b>	Whether on the coffeemaker, on the water cooler or on the tea cooker, all water containers can be vitalized with the Water chip.	
<b>Hot-water tank</b>	To activate water in the hot-water-tank place one chip every 30-50 cm. Ordinarily you need 4 Chips for one hot-watertank.	

# Emoto

## water crystal

The Emoto laboratory (Hado-Life) has measured the Meta-Converters energy. During the test, a glass filled with neutral water (see below, osmosis water) was vitalised with the Meta-Converter. The result after only one hour is absolutely stunning, and shows the amazing change in frequency that the Meta-Converter performs.

### Evidence and measurement

**Example:** Osmosis water was revitalized with the converter from i-like. The results are amazing

Before the application



After the application with the converter



Measurements by the Emoto laboratory (Hado Life) show what positive frequency changes can be achieved with the chip.

# Supplement-Converter

For the vitalising of food supplements



The supplement-converter provides valuable vibrations, which harmonise potential interference frequencies in and on food supplements, as well as other substances you are taking (e.g. chemical formulations).

Through the vitalisation of information based on quantum physics, through opposing the frequencies of disturbance fields, nutrients can be considerably better absorbed. The absorption capa-

city is vastly increased. Also, potentially negative properties like intolerances or negative reactions to ingredients can be considerably reduced.

Supplements which have been activated with the Supplement-Converter can exhibit considerably increased efficacy. Potential side effects can be reduced.

## Application

### What do I need to know?

Put your Supplement-Converter wherever you store your food supplements. Leave the Converter to work for a minimum of 24 hours or, even better, leave it permanently.

**Principle:** Nutrients can be significantly better absorbed. Your ability to absorb is increased several times over. Potentially negative properties can be significantly reduced.

The Supplement-Converter has a sphere of activity from 0-50 cm. It can also be left in its case (instead of fixing it to something) and used in a variety of places.

The Supplement Converter should be protected from extreme heat (over 50 degrees Celsius). The Converter is washable. Its effectiveness is further strengthened through metal, and it can also be attached underneath a metal shelf or similar.

The Converter is suitable for all types of food supplements.

- under the supplement container
- in the medicine cabinet
- in the travel first aid kit
- in your sports bag
- in the cupboard
- in the bathroom cabinet
- on the bed-side table
- in your handbag
- in the desk drawer
- and more



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

Product/Device	Placement	
<b>Travel first aid kit</b>	Place the Converter permanently into the travel first aid kit. Aids the vitalisation of your nutritional supplements.	
<b>Medicine cabinet</b>	Depending on the size of the medicine cabinet 1 to 2 Converters may be necessary. Effective radius of 0-50 cm.	
<b>Sports bag</b>	Vitalise the nutritional supplements in your sports bag with i-like's Supplement-Converter.	
<b>Mirror cabinet</b>	Attach directly to the mirror cabinet's shelf and let it take effect permanently. Depending on size 1 to 2 Converters may be necessary. Effective radius of 0-50 cm.	
<b>Kitchen cupboard</b>	One converter per kitchen compartment. Effective radius of 0-50 cm. Wherever nutritional supplements are stored.	
<b>Bedside table</b>	Attach one converter per drawer or compartment every 30-50 cm. Effective radius of 0-50 cm.	



## Experience:

### S.S. – Switzerland

For some time I have taken various dietary supplements on the recommendation of my doctor. A large part of which is iron. Therefore I'm regularly taking a kind of syrup, which is very ferrous. After I put the Supplement Converter next to my supplements, my levels have vastly improved. Great!

### D.E. – Switzerland

Sports drinks are an integral part of my training. Every time I go to the gym, I prepare a litre of isotonic drink to take with me. Now I load up my dietary supplements with the Converter, I feel much more powerful. I have much more stamina and much more power than before. Now I am curious to discover what else the Converter can do for me.

### L.D. – Switzerland

I've tried many supplements. From spirulina to omega 3 to drink powders - literally everything. Unfortunately, I have a very sensitive stomach. As soon as I take dietary supplements (regardless whether powder, capsules or whatever), nausea takes over and I feel unwell. However, since I have had the Supplement-Converter on my shelf, this „malaise“ has gone. I can now take the supplements I need, without side effects. Very good!

# Cosmetic-Converter

For the vitalising of cosmetic



Activate and vitalise your cosmetics. Incorporate an amazing bioresonance frequency into your normal cosmetics and bodycare.

The bioresonant Cosmetic-Converter neutralises the potentially negative frequencies of cosmetics. Via the quantum physical effect of frequency regulation, the effectiveness of all kinds of cos-

metics can be improved significantly. Potentially negative properties like allergy triggers, dehydration, feelings of tension and so on can be eliminated.

The Converter's efficacy is sadly considerably less when there are parabens (synthetic preservatives) or silicone (mineral oil) in the cosmetics.

## Application

### What do I need to know?

You can put your Cosmetic-Converter wherever you store your cosmetics. Leave the Converter to work for a minimum of 24 hours or, even better, leave it permanently.

**Principle:** Potentially negative frequencies in your cosmetics are neutralised. It can improve the effects of your cosmetics, and neutralise negative properties. Activate and vitalise your cosmetics. Incorporate an amazing bioresonance frequency into your normal cosmetics and bodycare. You can put your Cosmetic-Converter wherever you store your cosmetics.

The Converter is effective if left for a minimum of 24 hours or, ideally, permanently and a max. distance of 50 cm from your cosmetics. It is irrelevant whether you place it next to your cosmetics in the bathroom cabinet, in the shower next to the shower gel and shampoo, in the glove compartment next to your hand cream or by the sink next to the the hand soap. There are many possible applications.

The onverter is washable. Its effectiveness is further strengthened through metal. The Cosmetic-Converter should be protected from extreme heat.

The Cosmetic-Converter is suitable for body, face and decorative cosmetics.

- in your beauty case
- in the wardrobe
- in the bathroom cabinet
- in your handbag
- on the dressing table
- on the table in the bathroom
- in your toilet bag
- in the shower
- and more



### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

Product/Device	Placement	
<b>Beauty case</b>	Place the converter permanently into the beauty case. Aids the vitalisation of your cosmetics.	
<b>Handbag</b>	Whether for hand cream, lip care or make-up products. A Converter in your handbag is definitely worth it. Effective radius of 0-50 cm.	
<b>Mirror cabinet</b>	Attach directly to the shelf of the mirror cabinet and let it take effect on a permanent basis. Depending on the cabinet's size, 2 converters may be necessary. Effective radius of 0-50 cm.	
<b>Bathroom cabinet</b>	Attach one Cosmetic-Converter every 30-50 cm inside the cabinet drawer or to the shelf in order to provide long term vitalisation for cosmetics.	
<b>Shower cubicle</b>	Attach directly on shower tray (where shampoo, shower gel, body lotion etc. are located) for optimally vitalised body care.	
<b>Sink unit in bathroom</b>	Converters need to be positioned 30-50 cm apart in order to activate the cosmetics on the tray. As a general rule, one Converter is required per shelf.	
<b>Dressing table</b>	To activate the cosmetics in the dressing table, simply place one Converter inside the drawers, the compartments and on the trays every 30-50 cm.	



## Experience:

### S.E. – Switzerland

I love a citrus scent in my shower gel, body lotion and other cosmetics. Unfortunately however, I do not get along well with the fragrance which is used for this purpose. My skin gets red and itchy. Now I am using the Cosmetic-Converter, I have dared to buy myself a new lemon-scented shower gel, with great success. My skin no longer reacts to the shower gel. I have even been able to switch my body lotion and hand cream to an orange scent. Really great!

### F.W. – Switzerland

A mineral powder has always been my perfect solution for a matte complexion. Unfortunately powder like this leaves dry patches on my face. Now I have activated it with the Converter from i-like, the problem is solved.

### A.K. – Germany

For years I have struggled with my sensitive skin. As soon as I use cosmetics that my skin doesn't tolerate, I begin to see my eczema regularly. This is very tedious as I must always double check what is in the product. Since I have installed the new Converter at home, I have not noticed any more reactions. I am surprised that such a small chip can do so much.

### N.S. – Switzerland

Over the years I have used the same body oil. But my skin has never been as soft as it is now since I installed the Converter.

# Animal-Chip

Vital and balanced pets



Animal-Chips are used for all small animals (from canaries to St. Bernards).

Objectives of the animal-chips: the animals are „supplied“ with frequencies, programmed specifically to meet their needs. At the same time, the animals acquire more vitality and they become more balanced - this can generally be seen quickly in the optimisation of the fur or plumage.

Additionally, the possible negative side effects of vaccinations are resolved, without compromising the effect of the vaccine.

Animal chips provide valuable vital frequencies for your pets! Simply place and experience.

## Application

### What do I need to know?

Glue the Animal-Chip to the underside of the food bowl. Attach it directly to the collar. Or fix it to your animal's usual sleeping place (for larger animals or sleeping places, use 2-3 chips).

**Principle:** From canaries to St. Bernards. With the Animal-Chip, all small animals can be vitalised. Simple to use, the chip is used in whatever space beloved pets are to be found!

The Animal-Chip is washable and offers a sphere of activity from 30-60 cm. The Chip should be protected from extreme heat (over 50 degrees Celsius). Its effectiveness is further strengthened through metal, and it can, for example, also be attached underneath a metal food bowl or fastened to the collar. For plenty of joy with your beloved pet.

The Animal-Chip chip is suitable for all kinds of small animals.

- under the food bowl
- under the water bowl
- on points of pain
- directly on the collar
- in their bed
- under their bed on their favourite spot
- on the cage
- in a small animal hutch
- under the food




### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

Product/Device	Placement	
<b>Feed</b>	Place chip underneath the feeding bowl. The feed should be left alone for some time (10-15 min.) before giving it to the animal.	
<b>Collar</b>	Place chip directly onto the collar. The adhesive is usually not strong enough and tape, bandage, etc. should be used as support.	
<b>Place to sleep</b>	Transform the animal's sleeping area into a bio-resonance field with the animal chip. Place one chip (for larger animals or bigger sleeping places 2-3 chips) directly underneath the bed mat or the barn.	
<b>Wounds/ area of pain</b>	Place chip directly on the area of pain (as tightly as possible). Usually, wrapped in bandage.	
<b>Vitalize stable</b>	BFor stable animals, place one or more chips (30-50 cm apart) on ground or ceiling of stall to transform the stall into a bio-resonance field.	



## Experience:

### **A.W. – Switzerland**

Our cat has got a strange tick. Whenever we pet him, he bites us. Not hard, but he simply does it to show that he is the boss. This is not so pleasant, especially since we have children. We have decided to activate his food with the chip. The goal was to improve his fur, since he constantly loses a lot of hair. The results after one week are the following: The fur is significantly better and we have the feeling that he is more way gentler. He has not bitten (snapped at) anyone in 3 days.

### **L.S. - Austria**

Our family dog has been suffering from chronic pain for a year now. He is limping. The veterinarian can only help him with cortisone, but we know that that is not really beneficial to his health. 10 days ago we wrapped the animal chip to the area of pain. It seems as if the pain is completely gone – our dog runs and frolics just like he did a year ago. In addition, we placed a chip onto his feeding bowl and to his sleeping area – a total of 3 animal chips. It was worth it to us. And the result really is wonderful.

### **R.B. – Switzerland**

Our neighbor's dogs are constantly barking in the back yard. This is very annoying. I gave an animal chip to the neighbor – officially, just to keep their dogs healthy. But my intention was to see if the barking would stop. The result has really amazed me. A few days after I had given them the chip, my wife, who was not aware of the fact that I had done so, noticed the result first: „Have you noticed that the neighbor's dogs have gotten so much quieter?“ I then told her about the chips. She can hardly believe that the change came from the chips, but I am convinced that they are the reason for the change in the dogs' behaviors.

# Horse Meta-Converter

Provides valuable vital frequencies for your horse



The bioresonance information from the converter is activated via the natural cell radiation (own field broadcasting) of the horse and the frequency will resonate with the animal. The own field reflection is strengthened by the pyramidal formed minerals in the Converter. This, which is colloquially known as „self healing power“ is described today as self-regulation in line with the most recent quantum physics findings. The Horse Meta-Converter contains magnetite crystals. This

magnetite was programmed via i-like. Through exposure to targeted frequencies, information is applied, which is transferred to the animal.

This frequency provides specific information which are tailored exactly to the horses. This information enables the self-regulation of your horse and helps therefore an improved sense of well-being. Negative information is excluded. The animal quickly feels well.

## Application

### What do I need to know?

Position the Horse Meta-Converter as close to your horse as possible. Ideally directly on the horse itself. While riding, the rider wears the Horse Meta-Converter on themselves. Through quantum entanglement, there is an information relay between the rider and horse.

**Principle:** The Horse Meta-Converter provides valuable vital frequencies for your horse! Apply and experience!

The Horse Meta-Converter is incorporated into a high-quality box and is, in combination with the small carrying bag, easy to hold.

The Horse Meta-Converter has an operating radius of 1-2 metres. It comes in a high quality box including a practical bag. The effectiveness of the Horse Meta-Converter is further reinforced with metal. In addition, the box protects against losing the valuable Horse Meta-Chips. Suitable for all horse breeds (from the pony up to heavy horses) and also for other large animals such as lamas, etc.

The Horse Meta-Converter is suitable for horses

- on the rider, during the ride
- on the saddle cloth
- under the saddle
- on the bridle
- at the neck ring
- in or on the grazing blanket
- in or on the turnout blanket
- all types of horse blankets
- in the box
- at the feeding station




### i-like Meta-Converters are:

100% Swiss engineering  
100% Swiss made



It has a service life of at least 30 years.

Product/Device	Placement	
<b>Rider</b>	The rider can carry the converter while riding, for example in their pocket or on their belt, using the trouser loop (quantum entanglement rider-horse).	
<b>All types of horse blankets</b>	Simply hang onto a strap or loop around the middle of the girth. (The reverse side of the Converter bag has a looping function thanks to the attachment of a second section).	
<b>Saddle</b>	Attach to a suitable location with the help of the bag or put into the saddlebag.	
<b>Feeding station</b>	Place under or hang onto the feeding trough, or place where the horse food is stored.	
<b>Bridle</b>	With the help of a karabiner, hang or attach.	
<b>Box</b>	Hang up in a convenient place (high enough that the Converter will not be damaged).	



## Experience:

### F.U. – Switzerland

My Freiburger's recurrent airway obstruction (disease of the bronchial system – editor's note) has been chronic for months. Alternative remedies have not helped, so we had to resort to cortisone. Shortly after finishing the course of cortisone, the illness flared up again and became severe. We were desperate. A friend suggested I look into the subject of bioresonance and seek help from the Swiss firm i-like. I then used the Horse-Metal-Box and after 7 days my horse was free of symptoms.

### F.W. - Switzerland

Our horse could hardly move. The vet said that he could barely manage his suffering any longer. In our distress we had tried everything. Up to that point nothing had helped. Then we got the chip from a friend and fixed it onto the horse blanket. After a day, our horse completely changed. The Chip has now been there for two weeks and we are of the opinion that the pain has completely gone because the 14-year-old animal is moving again just like the young animals surrounding it. Our experience with the Chip has been spectacular and, for a doctor like me, incomprehensible!

# Literature/Sources

- 3 Tesla magnetic resonance imaging of the prostate with combined pelvic phased-array and endorectal coils: Initial experience<sup>1</sup>; BN Bloch, NM Rofsky, RH Baroni, RP Marquis... - Academic radiology, 2004 - Elsevier.
- Aitchison, Hey: Gauge theories in particle physics. 2 Bände, 3. Auflage, Bristol, IOP Publishing, 2003, 2004.
- Andreas Buchleitner et al.: Entanglement and decoherence – foundations and modern trends. Springer, Berlin 2009, ISBN 978-3-540-88168-1.
- Anton Zeilinger: Einsteins Schleier – Die neue Welt der Quantenphysik. Goldmann, München 2005, ISBN 3-442-15302-6.
- Anton Zeilinger: Einsteins Spuk – Teleportation und weitere Mysterien der Quantenphysik. Bertelsmann, München 2005, ISBN 3-570-00691-3.
- Claude Itzykson und Jean-Michel Drouffe: Statistical field theory. 2 Bände, Cambridge University Press 1989 (auch Anwendungen in statistischer Mechanik).
- Hagen Kleinert, Verena Schulte-Frohlinde: Critical Properties of  $\phi^4$ -Theories.. World Scientific, 2001, ISBN 981-02-4658-7.
- Hagen Kleinert: Multivalued Fields in Condensed Matter, Electrodynamics, and Gravitation. (PDF), World Scientific, 2008, ISBN 978-981-279-170-2.
- Helmut Fink: Interpretation verschränkter Zustände: Die Quantenwelt – unbestimmt und nichtlokal? Physik in unserer Zeit 4/2004, S. 168–173.
- Hermann Haken, Quantenfeldtheorie des Festkörpers, Stuttgart, Teubner 1993.
- Howard Wiseman: Bell's theorem still reverberates. Nature Comment, 19. Juni 2014.
- [http://www.k-meyl.de/go/50\\_Aufsaeetze/D](http://www.k-meyl.de/go/50_Aufsaeetze/D)
- Ingemar Bengtsson, Karol Zyczkowski: Geometry of quantum states – an introduction to quantum entanglement. Cambridge University Press, Cambridge 2006, ISBN 0-521-81451-0.
- James Glimm & Arthur Jaffe: Quantum physics - a functional integral point of view. 2. Auflage, Springer, 1987, ISBN 978-0-387-96477-5.

- Jean Zinn-Justin: Quantum field theory and critical phenomena. Clarendon Press, Oxford u.a. 2003, ISBN 0-19-850923-5 (Eine sehr umfangreiche Darstellung, die beiden Gesichtspunkten gerecht wird).
- Jürgen Audretsch: Verschränkte Systeme – die Quantenphysik auf neuen Wegen. Wiley-VCH, Weinheim 2005, ISBN 3-527-40452-X.
- K. Meyl - 1996 - cds.cern.ch, Elektromagnetische Umweltverträglichkeit : Ursachen, Phänomene und naturwissenschaftliche Konsequenzen. Volume, Bd.1 : Umdruck zur Vorlesung. Edition, 3. Aufl., Author(s), Meyl, Konstantin. Publication, Villigen-Schwenningen : INDEL, 1996. - 224 p. Subject.
- K. Meyl - ISBN 3-9802542-2-4.
- Meyl, K., Elektromagnetische Umweltverträglichkeit : Ursachen, Phänomene und naturwissenschaftliche Konsequenzen. Volume, Bd.1 : Umdruck zur Vorlesung. Edition, 3. Aufl.
- N.D. Birrell, P.C.W. Davies: Quantum fields in curved space. Cambridge Univ. Press, Cambridge 1984, ISBN 0-521-27858-9.
- Potentialwirbel, Band 2, INDEL-Verlag, Villingen-Schwenningen 1992.
- Proc Natl Acad Sci U S A. 1992 Aug 15;89(16):7683-7.; „Magnetite biomineralization in the human brain“; Kirschvink JL1, Kobayashi-Kirschvink A, Woodford BJ.
- Richard Mattuck: A guide to Feynman diagrams in the many body problem. Dover Publications, New York 1992, ISBN 0-486-67047-3.

i-like Metaphysik

GBR-Zentrum, 9445 Rebstein, Schweiz

[www.i-like.net](http://www.i-like.net)

My consultant: